

NILSON GROUP CHEMICAL RESTRICTION 2026

Restricted Substance List (RSL)

* 2026 February updates – see green markings

* 2025 October updates - see yellow markings

Table of contents

General	3
Material Safety Data Sheet (MSDS).....	3
Laws and regulations.....	4
Clarification of the terms in the Restricted Substances List.....	6
Table 1 – Summary of the major restricted substances for different materials.....	8
Table 2 - Extensive list of regulated substances.....	10
Annex 1 - Alkylphenol ethoxylates (APEO) and derivatives.....	20
Annex 2 – Arsenic compounds.....	20
Annex 3 – Bisphenols	20
Annex 4 - Poly aromatic hydrocarbons (PAH)	21
Annex 5 - Chlorinated solvents.....	22
Annex 7 - Banned arylamines derived from certain azo dyes.....	24
Annex 8 - CMR dyestuffs.....	25
Annex 9 - Legal status Formaldehyde.....	26
Annex 10 - Flourochemicals (PFAS)	28
Annex 11 - Legal status PFAS.....	29
Annex 12 - Regulated ortho - phthalate esters	31
Annex 13 - Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE).....	32
Annex 14 – Isocyanates	32
Annex 15 – Nitrosamines.....	33
Annex 16 – Tin organic compounds (Organostannic compounds).....	34
Annex 17 – Cobalt (Co) and its compounds.....	34
Annex 18 - Boric acid, borate compounds	35
Annex 19 - Checklist for laboratories.....	36

General

The standards described in this document are applicable on all orders at all times, valid from the time of written confirmation.

Test methods – Tests according to the latest available published European standard (EN) and/or ISO test methods.

In case there is no EN and/or ISO standard available «*not yet available*» the laboratory used by Nilson Group, the checklist for lab should be used to ensure the quality of the lab that is used by Nilson Group. In case of differing test result, the test performed by Nilson Group will be valid.

Laboratory indicative limit value (mg/kg) - commissioned lab must report according to the "laboratory limit" which in this RSL template is called "Lab. indicative limit value (mg/kg)". These lab limits should be the lab's reporting limits and NOT legal limits.

In case of quality dispute; 3rd party documentation will be required. 3rd party test results will not be required unless requested.

Material Safety Data Sheet (MSDS)

All suppliers to Nilson Group must keep record of all chemical substances used in production and all associated processes. This list shall include name of the chemical product, the purpose/area of use and a reference to a Material Safety Data Sheet (MSDS).

Suppliers can and will be asked to submit this list to CSR or an accredited auditor for inspection. The buying and product departments reserve the right to ask for additional documentation, showing the chemicals that have been used during production.

PVC (polyvinyl chloride)

None of Nilson Group's products shall contain the material PVC (polyvinyl chloride).

PFAS (perfluorinated substances)

None of Nilson Group's products shall contain any PFAS (perfluorinated) substances. This means no deliberately added active substances are allowed, in process or such as waterrepellant function on material or product.

Biocidal Substances

None of Nilson Group's products shall contain any Biocidal substances. Means no deliberately added active substances are allowed, in process or such as anti-odour-, smell-etc. function on material or product.

Laws and regulations

All suppliers to Nilson Group must be in compliance with regulations in all markets where Nilson Group operate.

LEGAL BACKGROUND

UN global treaties on certain hazardous chemicals such as Persistent Organic Pollutants (POPs)

UN global treaties on certain hazardous chemicals such as POPs

Stockholm Convention on Persistent Organic Pollutants is an international environmental treaty, signed in 2001 and effective from May 2004, that aims to eliminate or restrict the production and use of persistent organic pollutants (POPs).

The Rotterdam Convention (formally, the Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade) is a multilateral treaty to promote shared responsibilities in relation to importation of hazardous chemicals.

The Minamata Convention on Mercury is a global treaty to protect human health and the environment from the adverse effects of mercury.

EU/EEA chemicals regulations

There is a range of chemicals regulations in EU/EEA that cover requirements of articles and/or chemical products depending on to what extent certain hazardous chemicals pose possible unacceptable risk to users and the environment under normal foreseeable conditions/use.

Such regulatory frame works are

- REACH (EU Regulation 1907/2006) and amendments
- EU POP regulation (EU Regulation [2019/1021](#)) and related amendments
- Biocide Product regulation (EU Regulation 528/2012) and its amendments.
- [Regulation \(EU\) 2025/40 of the European Parliament and of the Council of 19 December 2024 on packaging and packaging waste \(PPWR\) and its amendments](#)
- RoHS Directive (2011/65 / EU) restricting the presence of hazardous chemical substances in electrical and electronic equipment.

Restrictions (EU/EEA)

Restrictions are regulatory measures to protect human health and the environment from unacceptable risks posed by chemicals. Restrictions may limit or ban the manufacture, placing on the market or use of a substance. A restriction can apply to any substance on its own, in a mixture or in an article, including those that do not require registration. Restrictions setting out conditions for the placing on the market of substances apply to both domestic production and imports.

Duty to inform your customer on substances for authorisation (EU/EEA)

Substances of Very High Concern (SVHC) are listed on Candidate List for authorization of the Regulation (EC) No 1907/2006 (REACH). All professional actors have an obligation to inform their consumers about the content of SVHC (as a minimum the name of the substance(s)) exceeding 0.1 % weight by weight (= 1000 mg/kg) in individual parts of an article, that are defined as articles. If the consumers are professional actors, there is an immediate information duty, but within 45 days for private consumers.

Severe hazardous substances

PBT, vPvB, CMR or ED Substances defined as persistent, bioaccumulative and toxic (**PBT**), very persistent and very bioaccumulative (**vPvB**), carcinogenic, mutagenic and toxic for reproduction (**CMR**), endocrine disruptors (**ED**) or equivalent concern cannot exceed 1000 mg/kg in a product. If a specific substance is stated both in the NilsonGroup RSL and as PBT, vPvB, CMR or ED, the NilsonGroup requirements must be followed. ¹

¹Laws and regulations of countries that products will be sold at must be followed.

Clarification of the terms in the Restricted Substances List

Table 1 provides a quick review of the major restricted substances and the risk level associated with each substance for different materials.

Table 2 is an extensive list of regulated chemicals in EU/EEA with relevance to Nilson Groups products that show restricted substances and the maximum concentrations.

DEFINITIONS IN TABLE 2

CAS RN - For every substance, the list states the identification number (CAS No) according to Chemical Abstract Services.

Severall - Is stated instead of CAS number, the substance has several substances and CAS numbers covered by the specification.

In case there is a defined range of regulated substances, these are listed in annexes.

Different types of limits and their different meanings:

Legal limit - Above is illegal – below is legal.

Laboratory limits, such as LOD and LOQ - Above is detectable – below is not detectable.

Company limit/ Nilson Group requirement for suppliers - Above is not acceptable – below is acceptable.

can be everything from legal limits down to usage ban.

Detection Limit - Is defined as the lowest possible value that can be found during testing with a specific test method. Whenever test methods have been revised and the detection limit has been changed, the new detection limit must be followed.

The limits of detection (LOD) and quantification (LOQ) are defined as the lowest concentration of the analyte that can be reliably detected and quantified, respectively. Usually the LOD and LOQ refer to the limits associated with 95% probability of obtaining a correct result.

Not Detected - Substance stated with “Not Detected” as a requirement should not be found above the Detection Limit.

Usage ban - When a substance is defined as “Usage ban” this means that the substance should not be present and used during production directly or indirectly through transformation in processes. Those substances cannot be present in the product over the Detection Limit.

Precaution: Assure strict and safe work environment measures in the process.

Restricted means restricted according to EU/EEA harmonised chemicals regulations.

SVHC means Substances of Very High Concern (SVHC) that are listed on Candidate List for authorization of the Regulation (EC) No 1907/2006 (REACH).

Limit value – Limit values are based on the highest allowed content of the substance per kilogram article or part thereof.

No test methods given (N/A) - For those chemical substances that have no official standard testing method report the method used by the laboratories through Appendix 18 Checklist for laboratories to answer.

Relationship between units used in the guide

1000	mg/kg	equals	1000	ppm	(parts per million)
1000	mg/kg	equals	1 000 000	ppb	(parts per billion)
1000	mg/kg	equals	1 000 000	µg/kg	(microgram per kilogram)
1000	mg/kg	equals	0.1	%	(by weight)

Table 1 – Summary of the major restricted substances for different materials

	MATERIAL								
	Textiles – Natural Fibres	Textiles – Synthetic fibres	Textiles – Blend Fibres	Plastic, Rubber	Coating/ Treatments, Prints	Leather	Metal	Antibacterial treatment	Storage and transport
Banned arylamines derived from azo dyes	•	•	•		•	•			
Carcinogenic dyestuffs and pigments	•	•	•	•	•	•			
Allergenic disperse dyes and Navy Blue	•	•	•		•	•			
Quinoline	•	•	•	•	•	•			
Chromium VI (Cr ⁺⁶)	•		•		•	•			
Chloro paraffins (SCCP and MCCP)				•	•	•			
Nickel							•		
Lead							•		
Cadmium							•		
Phthalate esters		•	•	•	•				
Lead salts		•	•	•	•	•			
Cadmium salts		•	•	•	•	•			
Dialkyltin compounds (e.g DOT, DBT)		•	•	•	•				
Formaldehyde	•	•	•		•	•			
Per and polyfluorinated substances (PFAS)		•	•		•	•			
NMP; DMAC, DMFa ¹ , NEP		•	•						
PBB				•					
PBDE (Tetra-, Penta- Hexa, HeptaBDE, OctaBDE, DecaBDE)				•					
HBCDD				•					
TCEP				•					
Trixylyl phosphate				•					
Trisubstituted tin organic compounds		•	•			•		•	
Triclosan	•	•	•					•	
Cu-HDO	•	•	•					•	
Silver and its compounds	•	•	•					•	
Fungicides (DMFu ²)		•	•	•		•			•
Fungicides (PCP, TeCP – isomers, thiram)									•
Insecticides (permethrin, bronopol etc.)									•
Fumigants (Methyl Bromide, Phosphine and Hydrogen cyanide, Metam sodium.) ³									•
Alkylphenoletoxylates (APEO) such as onylphenoletoxylates, (NPEO) and oktylphenoletoxylates, (OPEO)	•	•	•			•			
Volatile Organic compounds (VOC)				•		•			
Chloro organic compounds (e.g carriers)	•	•	•	•	•	•			
Polycyclic aromatic hydrocarbons (PAH) ⁴				•		•			

- ¹ Relevant for acrylate or urethane coatings (DMFa: dimethylformamide)
- ² DMFu: dimethylfumarate
- ³ IMO – Recommendations on the safe use of pesticides in ships applicable to the fumigation of cargo holds (2008)
- ⁴ Relevant when Carbon Black (a black pigment) or mineral oils as softeners are used.

Table 2 - Extensive list of regulated substances

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Alkylphenol ethoxylates (APEO) and derivatives. Alkylphenols (AP)	Annex 1	EN ISO 18254-1:2016, 2:2019 (textile), (APEO) EN ISO 21084:2019 (textile), (AP) EN ISO 18218-1:2015 (APEO direct method, leather) EN ISO 18218-2:2019 (APEO indirect method, leather)	Usage ban	< ¹ 10	Annex 1
Antimony and its compounds	7440-36-0 (antimony metal) Several	EN 16711-1,-2:2015 (textile) EN ISO 17072-1, -2:2019 (leather)	< 500 mg/kg (total content)	< 100	
Arsenic compounds	Annex 2	EN 16711-1,-2:2015 (textile) EN ISO 17072-1:2019 (leather) EN ISO 17072-2:2022 (leather)	Extractable: 0,2 mg/kg Total: 25 mg/kg	< 1	Annex 2
Bisphenols	Annex 3	EN ISO 11936:2023 (leather) EN ISO 21135 (leather process chemicals)	Usage ban	<10	Annex 3
C,C'-azodi(formamide) (ADCA)	123-77-3	Not yet available	Usage ban	< 10	SVHC
Copper and its compounds	7440-50-8 (copper metal) Several	EN 16711-1,-2:2015 (textile) EN ISO 17072-1:2019 (leather) EN ISO 17072-2:2022 (leather)	< 25 mg/kg (total content)	< 1	

¹ < means "less than"

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Dicumyl peroxide	80-43-3	Not yet available	Usage ban	100	SVHC
Ethylenediamine (EDA)	107-15-3	Not yet available	Usage ban	< 10	SVHC
Ethylenethiourea	96-45-7	Not yet available	Usage ban	< 1	SVHC
N-(hydroxymethyl)acrylamide	924-42-5	Not yet available	Usage ban	< 10	SVHC
Formamide	0075-12-07	Not yet available	< 50 mg/kg	< 10	SVHC
Hydrazine	302-01-2	Not yet available	Usage ban	< 10	SVHC
Isocyanates	Annex 14	EN 1242:2013 (adhesives) EN ISO 14896:2009 (PU raw material)	Precuation: PU-based adhesives are the only option for gluing	< 1	Annex 14
Nitrosamines	Annex 15	EN 12868:2017 (rubber) EN ISO 19577:2019 (footwear)	Precuation: Occurrence as impurities in rubber	< 0,5	Annex 15
1-vinylimidazole	1072-63-5	Not yet available	Usage ban	< 10	SVHC
2-methylimidazole	693-98-1	Not yet available	Usage ban	< 10	SVHC
2-methoxyethyl acetate	110-49-6	Not yet available	Usage ban	< 10	SVHC
Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	Not yet available	< 1mg/kg	< 10	SVHC
PAH - Polycyclic aromatic hydrocarbons	Annex 4	EN 17132:2019 (textile) EN ISO 16190:2021 (footwear)	Usage ban of compounds that can generate PAH	< 0,1	Annex 4
Quinoline	91-22-5	EN ISO 13144:2025 (textile)	< 10 mg/kg	< 0,1	Restricted
Solvents - Aliphatic organic solvents	Several	EN ISO 20686:2025 (footwear)	Usage ban of Cyclohexane (CAS RN 110-82-7)	< 0,1	Restricted is Cyclohexane (CAS RN 110-82-7) SVHC is

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
					n-hexane (CAS RN 110-54-3)
Solvents - Aromatic organic solvents	Several	EN 17131-2:2025 (textile) EN ISO 20686:2025 (footwear)	Usage ban of benzene (CAS RN 71-43-2) and Toluene (CAS RN 108-88-3) Precaution: Ethylbenzene CAS 100-41-4 Cyclohexanone, CAS 108-94-1	< 0,1	Restricted in EU/EEA are: benzene (CAS RN 71-43-2) and Toluene (CAS RN 108-88-3)
Solvents - Chlorinated organic solvents	Annex 5	EN 17137:2024 (textile) EN ISO 20686:2025 (footwear)	Usage ban of listed in annex 4	< 0,1	Annex 5
Solvents - 1,4 dioxane	123-91-1	Not yet available	Usage ban	< 1	SVHC
Solvents - DMFa (N,N-dimethylformamide)	68-12-2	EN 17131:2025 (textile) EN ISO 16189:2021 (footwear)	500 mg/kg sum of DMFa, DMAC and NMP <500 mg/kg	< 1	SVHC and restricted
Solvents - DMAC (N,N-dimethylacetamide)	127-19-5	EN 17131-1:2025 (textile)	100 mg/kg sum of DMFa, DMAC and NMP <500 mg/kg	< 1	SVHC and restricted
Solvents - NMP (N-methyl-2-pyrrolidone) NEP (N-ethyl-2-pyrrolidone)	872-50-4 (NMP)	EN 17131:2025 (textile)	500 mg/kg sum of DMFa,	< 1	SVHC and restricted

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
	2687-91-4 (NEP)	EN ISO 19070:2016 (leather)	DMAC and NMP <500 mg/kg		
6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	Not yet available	Usage ban	< 10	SVHC
Tin organic compounds (Organostannic compounds)	Annex 15	EN ISO 22744-1/-2:2020 (textile) EN ISO 16179:2025 (footwear)	Usage ban	< 10	SVHC and restricted
tris(2-methoxyethoxy)vinylsilane	1067-53-4	Not yet available	Usage ban	< 10	SVHC
Allergenic dyes (strong skin sensitizers)	Annex 6	EN ISO 16373-1:2015,-2,-3:2014 (textile)	Usage ban	< 5	Annex 6
Restricted arylamines related to azo dyes	Annex 7	EN ISO 14362-1, 3:2017 (textile) EN ISO 17234-1:2024 (leather) EN ISO 17234-2:2011 (leather)	Usage ban	< 5	Annex 7
Benzotriazols (UV-320, UV-326 UV-327, UV-328, UV-329 and UV-350)	3846-71-7 (UV320) 3896-11-5 (UV-326) 3864-99-1 (UV327) 25973-55-1 (UV 328) 3147-75-9 (UV-329) 36437-37-3 (UV 350)	ISO 24040:2022 (textiles)	Usage ban	< 10	SVHC and restricted
3-benzylidene camphor (1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1] heptan-2-one) (abbr: 3-BC)	15087-24-8	Not yet available	Usage ban	< 10	SVHC

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Boric acid, borate compounds	Annex 18	Not yet available	Usage ban	< 10	SVHC and restricted
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	Not yet available	Usage ban	< 10	SVHC
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Not yet available	Usage ban	< 10	SVHC
Cadmium (Cd) and cadmium salts	7440-43-9 (cadmium metal) Several	EN 16711-1, -2:2015 (textile) EN ISO 17072-1:2019 (leather) EN ISO 17072-2:2022 (leather)	Extractable: 0,2 mg/kg Total: 25 mg/kg	< 1	SVHC and restricted
Cobalt (Co) and its compounds	7440-48-4 (cobalt metal) Annex 17	EN 16711-1, -2:2015 (textile) EN ISO 17072-1:2019 (leather) EN ISO 17072-2:2022 (leather)	Total: 25 mg/kg	< 10	SVHC and restricted
CMR, Carcinogenic, Mutagenic, Reproductive toxic dyestuffs	Annex 8	EN ISO 16373-1:2015,-2,-3:2014 (textile)	Usage ban	< 5	Annex 8
Chloroparaffins	85535-84-8 (SCCP, C10-C13)	EN ISO 22818:2021 (textile) EN ISO 18219-1:2021 (SCCP, leather)	Usage ban	< 10	SVHC and restricted
	85535-85-9 (MCCP, C14-C17)	EN ISO 18219-2:2021 (MCCP, leather)	Usage ban	< 10	SVHC and restricted
Chromium VI	18540-29-9	EN ISO 17075-1,-2:2017 (leather) EN ISO 10195:2021 (ageing of leather)	< 3	< 3	SVHC and restricted
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	Not yet available	Usage ban	< 100	SVHC

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Dechlorane™ Plus (1,6,7,8,9,14,15,16,17,17,18,18 Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene)	13560-89-9	Not yet available	Usage ban	< 1	SVHC
Formaldehyde	50-00-0	EN ISO 14184-1,-2:2011 (textile) EN ISO 17226-1:2021(leather) EN ISO 17226-2:2019 (leather) EN ISO 17226-3:2011(formaldehyde emissions from leather)	< 20 mg/kg	< 13	Annex 9
Glutaraldehyde	111-30-8	Not yet available	< 20 m/kg	< 15	SVHC
Melamine	108-78-1	Not yet available	Usage ban	< 200 mg/kg	SVHC
Hexabromocyclododecan (HBCDD)	25637-99-4, 3194-55-6, 134237-50-6, 134237-51-7 and 134237-52-8	EN ISO 17881-1:2016 (textile)	Usage ban	< 5	Restricted
Lead (Pb) and lead salts	7439-92-1 (lead metal) Several	EN 16711-1,-2:2015, -3:2019 (textile) EN ISO 17072-1:2019 (leather) EN ISO 17072-2:2022 (leather)	Extractable: 0,2 mg/kg Total : 50 mg/kg	< 1	SVHC and restricted
Mercury (Hg)	7439-97-6	EN 16711-1,-2:2015 (textile) EN ISO 17072-1:2019 (leather) EN ISO 17072-2:2022 (leather)	Total: 0,5 mg/kg	< 1	SVHC and restricted

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Nickel (Ni), in accessories	7440-02-0	EN 12472:2020 (ageing of coated samples) and EN 1811:2023 (for coated and non coated items)	Usage ban	0,02 µg/cm ² /week (migration)	Restricted
Per and polyfluorinated alkyl substances (PFAS)	Annex 10	EN 17681-1:2025 EN ISO 23702-1:2023 (leather) EN 14582:2016 (total fluorine)	Usage ban	< 0,01 <0,1	Annex 10
Ortho-phthalate esters	Annex 12	EN ISO 14389:2022 (textile) EN ISO 16181-1, -2:2021 (footwear)	Usage ban	< 50	Annex 12
Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE)	Annex 13	EN ISO 17881-1:2016 (textile)	Usage ban	< 5	Annex 1
bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof Bis(2-ethylhexyl) tetrabromophthalate	Several	EN ISO 17881-1:2016 (textile)	Usage ban	<100	SVHC
2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol also called TBBPA	79-94-7	EN ISO 17881-1:2016 (textile)	Usage ban	< 100	SVHC
1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene]	37853-59-1	EN ISO 17881-1:2016 (textile)	Usage ban	< 100	SVHC
1,1'-(ethane-1,2-diyl)bis[pentabromobenzene] (DBDPE)	84852-53-9	EN ISO 17881-1:2016 (textile)	Usage ban	< 100	SVHC
2,2-bis(bromomethyl)propane-1,3-diol (BMP)	3296-90-0	EN ISO 17881-1:2016 (textile)	Usage ban	< 10	SVHC
2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-	36483-57-5	EN ISO 17881-1:2016 (textile)	Usage ban	< 10	SVHC

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
2,2-bis(bromomethyl)-1-propanol (TBNPA)					
2,3-dibromo-1-propanol (2,3-DBPA)	1522-92-5 96-13-9	EN ISO 17881-1:2016 (textile)	Usage ban	< 10	SVHC
Siloxanes (L3, L4, D4, D5 and D6)	107-51-7 (L3) 141-62-8 (L4) 556-67-2 (D4) 541-02-6 (D5) 540-97-6 (D6)	Not yet available EN ISO 23649 (Leather tanning industry)	500 mg/kg	< 100	SVHC
Halogenated aryl phosphates (TCEP, TBPP, TCPP and TDCPP)	115-96-8, 126-72-7, 13674-84-5, 13674-87-8	EN ISO 17881-2:2016 (textile)	Usage ban	< 1	SVHC and restricted
Aryl phosphates Trixylyl phosphate, Triphenylphosphate O,O,O-triphenyl phosphorothioate (TPPT) Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	25155-23-1, 115-86-6 597-82-0 192268-65-8	EN ISO 17881-2:2016 (textile)	Usage ban	< 10	SVHC
Tris(aziridiny)phosphin oxide (TEPA)	545-55-1	EN ISO 17881-2:2016 (textile)			Restricted
RESTRICTED or BANNED BIOCIDES					
General test methods for biocides in textiles, leather and footwear		EN ISO 20743:2021 (textile) EN ISO 22517:2021 leather) EN ISO 19574:2022 (footwear)			
Cu-HDO (Bis-(N-cyclohexyldiazoniumdioxo) - copper)	27083-27-8	Not yet available	Usage ban	< 1	Banned

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Dimethylfumarate (DMFu)	624-49-7	EN 17130:2019 (textile) EN ISO 16186:2021 (footwear)	Usage ban	< 0,01	Restricted
Guanidine, N,N'''-1,6-hexanediybis[N'-cyano-, polymer with 1,6-hexanediamine, hydrochloride (PHMB 1600; 1.8)	27083-27-8	Not yet available	Usage ban	< 1	Banned
Pentachlorophenol (PCP) and all isomers of Tetrachlorophenols (TeCP)	87-86-5 Several	EN 17134-2:2023 (textile) EN ISO 17070:2015 (leather) CEN/TR 14823:2003 (wood) EN ISO 15320:2011 (pulp and paper)	Usage ban	< 0,1	Restricted
Permethrin, Prallethrin	52645-53-1 Several	Not yet available	Usage ban	< 1	
Silver and its compounds	Several	Not yet available	Usage ban	< 1	Nanosilver is banned
Trisubstituted tin organic compounds	Several	EN ISO 22744-1,-2:2020 (textile) EN ISO 16179:2025 (footwear)	Usage ban	< 1	Restricted
Triclosan	3380-34-5	EN 17134:2019 (2-phenylphenol (OPP) and triclosan in textile materials)	Usage ban	< 1	Banned
2-phenylphenol (OPP)	90-43-7 13707-65-8 (potassium salt), 132-27-4 (sodium salt)	EN ISO 13365-1,-2:2020 (TCMTB, PCMC, OPP, OIT, content in leather)	Usage ban	< 1	Banned
Zincpyrithion	13463-41-7	Not yet available	Usage ban	< 1	

EU/EEA regulated substances relevant to NilsonGroup products	CAS RN	Latest published: CEN/ISO test methods	Nilson Group requirement for suppliers	Laboratory indicative limit value (mg/kg)	Legal status
Bronopol	52-51-7	Not yet available	Usage ban	< 1	Banned
Thiram	137-26-8	Not yet available	Usage ban	< 1	Banned
Metam-sodium ((sodium N-methyldithiocarbamate)	137-42-8	Not yet available	Usage ban	< 1	Banned
Parabenes	Several	Not yet available	Usage ban	< 1	Banned
Butyl 4-hydroxybenzoate (Butylparaben)	94-26-8	Not yet available	Usage ban	< 1	Banned
Isobutyl 4-hydroxybenzoate (isobutylparabene)	4247-02-3	Not yet available	Usage ban	< 1	Banned
Polyhexamethylene biguanide hydrochloride with a mean number-average molecular weight (Mn) of 1415 and a mean polydispersity (PDI) of 4.7 (PHMB(1415;4.7)	Several 1802181-67-4	Not yet available	Usage ban	< 1	Banned
Orto phenyl-phenols (OPP) also called biphenyls or 2-phenylphenols	13707-65-8 (potassium salt), 132-27-4 (sodium salt)	Not yet available	Usage ban	< 1	Banned
Sodium p-chloro-m-cresolate	15733-22-9	Not yet available	Usage ban	< 1	Banned

Annex 1 - Alkylphenol ethoxylates (APEO) and derivatives

Substances	CAS RN	Legal status
4-(1,1,3,3-tetramethylbutyl)phenol (4-tert-OP)	140-66-9	SVHC
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (4-tert-OPnEO)	Several	SVHC
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (4-tert-OPnEO, UVCB substance)	Several	SVHC
4-Nonylphenol, branched and linear (4-NP)	Several	SVHC
4-Nonylphenol, branched and linear, ethoxylated (4-NPnEO)	Several	SVHC and restricted
4-tert-butylphenol	98-54-4	SVHC
Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)	Several	SVHC
Tris(4-nonylphenyl, branched and linear) phosphite (TNPP)	Several	SVHC

Annex 2 – Arsenic compounds

Substance	CAS RN	Legal status
Arsenic acid	7778-39-4	SVHC and restricted
Calcium arsenate	7778-44-1	SVHC and restricted
Diarsenic Pentoxide	1303-28-2	SVHC and restricted
Diarsenic Trioxide	1327-53-3	SVHC and restricted
Triethyl arsenate	15606-95-8	SVHC and restricted

Annex 3 – Bisphenols

Substance	CAS RN	Legal status
4,4'-isopropylidenediphenol (BPA)	80-05-07	SVHC and restricted
2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	SVHC
4,4'-(1-methylpropylidene) bisphenol (BPB)	77-40-7	SVHC
4,4'-sulphonyldiphenol (BPS)	80-09-1	SVHC
Bis(4-chlorophenyl) sulphone (BPCS)	80-07-9	SVHC
4,4'-dihydroxydiphenylmethane (BPF)	620-92-8	
4,4'-[2,2,2-trifluoro-1-(trifluoromethyl)ethylidene]diphenol (BPAF)	1478-61-1	SVHC

Annex 4 - Poly aromatic hydrocarbons (PAH)

Substances	CAS RN	Legal status
Benzo(a)anthracene	56-55-3	SVHC and restricted
Benzo(a)phenanthrene (chrysene)	218-01-9	SVHC and restricted
Benzo(a)pyrene	50-32-8	SVHC and restricted
Benzo(b)fluoranthene	205-99-2	SVHC and restricted
Benzo(j)fluoranthene	205-82-3	SVHC and restricted
Benzo(k)fluoranthene	207-08-9	SVHC and restricted
Dibenzo(a,h)anthracene	53-70-3	SVHC and restricted
Benzo[e]pyrene	192-97-2	SVHC and restricted
Benzo[ghi]perylene	191-24-2	SVHC
Anthracene	120-12-7	SVHC
Fluoranthene	206-44-0	SVHC
Phenanthrene	85-01-8	SVHC
Pyrene	129-00-0	SVHC
Anthracene oil	90640-80-5	SVHC
Anthracene oil fraction (a complex combination of the distillation of Anthracene)	91995-17-4	SVHC
Anthraceneoil, Athracene paste, Anthracene fraction	91995-15-2	SVHC
Anthracene oil, Anthracene-low	90640-82-7	SVHC
Anthracene oil, Anthracene paste	90640-81-6	SVHC

Annex 5 - Chlorinated solvents

Substances	CAS-RN	Legal status
Chloroform	67-66-3	Restricted
1,1 dichlorethane	75-34-3	Not regulated
1,2 dichlorethane	107-06-2	Restricted
1,1,2 Trichloroethane	79-00-5	Restricted
1,1,2,2 Tetrachloroethane	79-34-5	Restricted
1,1,1,2 Tetrachloroethane	630-20-6	Restricted
Pentachloroethane	76-01-07	Restricted
Hexachloroethane	67-72-1	Restricted
1,1 Dichloroethylene	75-35-4	Restricted
1,4-dichlorobenzene	106-46-7	Restricted
Carbon tetrachloride	56-23-5	Restricted
1,1,1 Trichloroethane	71-55-6	Restricted
α,α,α,4-tetrachlorotoluene; also called p-chlorobenzotrichloride	5216-25-1	Restricted
α,α,α-trichlorotoluene; benzotrichloride	98-07-07	Restricted
α-chlorotoluene; benzyl chloride	100-44-7	Restricted
Trichloroethylene	79-01-6	SVHC
Tetrachloroethylene	127-18-4	Not regulated
1,2,3-trichloropropane	96-18-4	SVHC
Pentachloroethane	76-01-7	Restricted
Chloroform	67-66-3	Restricted
1,1,2 Trichloroethane	79-00-5	Restricted
1,1,2,2 Tetrachloroethane	79-34-5	Restricted
1,1,1,2 Tetrachloroethane	630-20-6	Restricted
Pentachloroethane	76-01-07	Restricted
1,1 Dichloroethylene	75-35-4	Restricted
1,4-dichlorobenzene	106-46-7	Restricted
Carbon tetrachloride	56-23-5	Restricted
1,1,1 Trichloroethane	71-55-6	Restricted
α,α,α,4-tetrachlorotoluene;	5216-25-1	Restricted
p-chlorobenzotrichloride	5216-25-1	Restricted
α,α,α-trichlorotoluene; benzotrichloride	98-07-07	Restricted
α-chlorotoluene; benzyl chloride	100-44-7	Restricted
Trichloroethylene	79-01-6	SVHC
1,2,3-trichloropropane	96-18-4	SVHC
1,2 dichlorethane	107-06-2	Restricted, Prop 65
Methylene chloride	75-09-2	Restricted, Prop 65

Annex 6 - Allergenic dyes

Substances	CAS RN	Legal status
C.I. Disperse Yellow 1	119-15-3	
C.I. Disperse Blue 35	12222-75-2	Restricted
C.I. Disperse Blue 102	12222-97-8	
C.I. Disperse Blue 106	12223-01-7, 68516-81-4	
C.I. Disperse Yellow 39	12236-29-2	
C.I. Disperse Orange 37/59/76	13301-61-6	
C.I. Disperse Brown 1	23355-64-8	
C.I. Disperse Blue 3	2475-46-9	
C.I. Disperse Orange 1	2581-69-3	
C.I. Disperse Yellow 3	2832-40-8	
C.I. Disperse Red 11	2872-48-2	
C.I. Disperse Red 1	2872-52-8	
C.I. Disperse Red 17	3179-89-3	
C.I. Disperse Blue 7	3179-90-6	
C.I. Disperse Blue 26	3860-63-7,	
C.I. Disperse Yellow 49	54824-37-2,	
C.I. Disperse Blue 124	61951-51-7	Restricted
C.I. Disperse Yellow 9	6373-73-5	
C.I. Disperse Orange 3	730-40-5	
Navy Blue	405-665-4 (EC #)	Restricted
C.I Disperse Blue 1	2475-45-8	Restricted
Disperse Yellow 64	10319-14-9	
Disperse Violet 93	52697-38-8	
CI Disperse Yellow 23	6250-23-3	
CI Disperse Violet 1	128-95-0	
CI Disperse Blue 291	56548-64-2	
CI Disperse Orange 149	85136-74-9	

Annex 7 - Banned arylamines derived from certain azo dyes

Substances	CAS RN	Legal status
4,4-Methylene-bis[2-chloro-aniline]	101-14-4	SVHC and restricted
4,4-Methylenedianiline	101-77-9	SVHC and restricted
4,4'-oxydianiline	101-80-4	SVHC and restricted
4-chloroaniline	106-47-8	Restricted
o-Dianisidine	119-90-4	Restricted
4,4'-bi-o-toluidine	119-93-7	Restricted
p-Cresidine	120-71-8	Restricted
2,4,5-trimethylaniline	137-17-7	Restricted
4,4'-thiodianiline	139-65-1	Restricted
4-Aminoazobenzene	60-09-3	SVHC and restricted
4-methoxy-m-phenylenediamine	615-05-4	Restricted
4,4-Methylenedi-o-toluidine	838-88-0	SVHC and restricted
2,6-xylidine	87-62-7	Restricted
o-Anisidine	90-04-0	Restricted
2-Naphthylamine	91-59-8	Restricted
3,3-Dichlorobenzidine	91-94-1	Restricted
Biphenyl-4-ylamine	92-67-1	Restricted
Benzidine	92-87-5	Restricted
o-Toluidine	95-53-4	Restricted
2,4-xylidine	95-68-1	Restricted
4-Chloro-o-toluidine	95-69-2	Restricted
4-methyl-m-phenylenediamine	95-80-7	Restricted
o-Aminoazotoluene	97-56-3	Restricted
5-Nitro-o-toluidine	99-55-8	Restricted
4-chloro-o-toluidinium chloride	3165-93-3	Restricted
2-Naphthylammoniumacetate	553-00-4	Restricted
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	Restricted
2,4,5-trimethylaniline hydrochloride	21436-97-5	Restricted

Annex 8 - CMR dyestuffs

Substances	CAS RN	Legal status
C.I. Direct Brown 95	16071-86-6	
C.I. Direct Black 38	1937-37-7	SVHC
C.I. Disperse Blue 1	2475-45-8	Restricted
C.I. Direct Blue 6	2602-46-2	
C.I. Acid Red 26	3761-53-3	
C.I. Basic Red 9	569-61-9	
C.I. Direct Red 28	573-58-0	SVHC
C.I. Basic Violet 14	632-99-5	
C.I. Disperse Orange 11	82-28-0	
C.I. Disperse Orange 149	85136-74-9	
C.I. Solvent Blue 4	6786-83-0	SVHC
C.I. Basic Blue 26,	2580-56-5	SVHC
C.I. Basic Violet 3	548-62-9	SVHC and restricted
Michler's base	101-61-1	SVHC
Michler's ketone	90-94-8*	SVHC
C.I. Disperse Yellow 3	2832-40-8	
C.I. Acid red 114	6459-94-5	
C.I. Direct blue 15	2429-74-5	
4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1	SVHC
C.I. Reactive brown 51	EC No: 466-490-7	SVHC

Annex 9 - Legal status Formaldehyde

Formaldehyde regulations within EU/EEA are replaced by EU REACH Regulation annex XVII entry 72 for textiles.		
Formaldehyde regulations within EU/EEA.		
Country	Regulations/Requirements	Objection Limit / Limit
Germany	Gefahrstoffverordnung (Hazardous Substances Ordinance) Annex III, No. 9, 26.10.1993	Textiles that normally come into contact with the skin and release more than 1500 mg/kg formaldehyde must bear the label: "Contains formaldehyde". Washing this garment is recommended prior to first time use in order to avoid irritation of the skin."
France	Official Gazette of the French Republic, Notification 97/0141/F	The regulations apply to products that are intended to come into contact with human skin, Including: textiles, leather, shoes etc. Textiles for babies: 20 mg/kg. Textiles in direct skin contact: 100 mg/kg. Textiles not in direct skin contact: 400 mg/kg.
Netherlands	The Dutch (Commodities Act) Regulations on Formaldehyde in Textiles (July 2000)	Textiles in direct skin contact must be labelled: "Wash before first use" if they contain more than 120 mg/kg formaldehyde and the product must not contain more than 120 mg/kg formaldehyde after wash.
Austria	Formaldehydverordnung, BGBl Nr. 194/1990	Textiles that contains 1500 mg/kg or above must be labelled.
Finland	Decree on Maximum Amounts of Formaldehyde in Certain Textiles Products (Decree 210/1988)	Textiles for babies under 2 years: 30 mg/kg. Textiles in direct skin contact: 100 mg/kg. Textiles not in direct skin contact: 300 mg/kg.
Norway	Regulations Governing the Use of a Number of Chemicals in Textiles (April 1999)	Textiles for babies under 2 years: 30 mg/kg. Textiles in direct skin contact: 100 mg/kg. Textiles not in direct skin contact: 300 mg/kg.

Formaldehyde regulations outside EU/EEA		
Country	Regulations/Requirements	Objection Limit / Limit
Eurasian Customs Union (Armenia, Belarus, Kazakhstan, Kyrgyzstan and Russia)	<p>Technical Regulation on the, TP TC 007/2011 On “Safety of Products intended for children and adolescents”, enacted in 2011 and its amendment “Decision N° 51 (28 April 2017)”, enacted in 2017.</p> <p>“TP TC 017/2011 On Safety of Light Industry Products enacted in 2011 and its amendment “Decision N° 60 (9 August 2016)” enacted in 2016.GOST 30386-95 (Textiles. Maximum permissible concentrations of free formaldehyde)</p> <p>GOST 50729-95 (Textiles.</p>	<p>Mass fraction of free Formaldehyde babies up to 36 months: 20 mcg/g for 1st and 2nd layer of products and 300 mcg/g for 3rd layer</p> <p>Mass fraction of free Formaldehyde for children and adolescents: 75 mcg/g for 1st and 2nd layer of products and 300 mcg/g for 3rd layer</p> <p><i>Apply less than 20 mg free formaldehyde/kg as a customs requirement.</i></p>

Annex 10 - Flourochemicals (PFAS)

Substances	Acronym	CAS RN
PFSA (perfluorinated sulfonic acids) related substances		
Perfluorooctane sulfonate	PFOS	1763-23-1
Perfluorooctanesulfonamide	PFOSA	754-91-6
N-Methyl-Perfluorooctanesulfonamide	N-Me-FOSA	31506-32-8
N-Ethyl-Perfluorooctanesulfonamide	N-Et_FOSA	4151-50-2
N-Methyl-Perfluorooctanesulfonamidoethanol	N-Me-FOSE	24448-09-7
N-Ethyl-Perfluorooctanesulfonamidoethanol	N-Et-FOSE	1691-99-2
Perfluorohexane sulfonate	PFHxS	355-46-4
Perfluorobutane sulfonate	PFBS	375-73-5
PFCA (perfluorinated carboxylic acids) related substances (PFCA)		
Perfluorooctane acid	PFOA	335-67-1
Perfluorobutanoic acid	PFBA	375-22-4
Perfluoropentanoic acid	PFPeA	2706-90-3
Perfluorohexanoic acid	PFHxA	307-24-4
Perfluoroheptanoic acid	PFHpA	375-85-9
Perfluorononanoic acid	PFNA	375-95-1
Perfluorodecanoic acid	PFDA	335-76-2
Perfluoroundecanoic acid	PFUnA	2058-94-8
Heptacosafuorotetradecanoic acid	PFTA	376-06-7
Tricosafuorododecanoic acid	PFDoA	307-55-1
Pentacosafuorotridecanoic acid	PFTTrDA	72629-94-8
Ammonium pentadecafluorooctanoate	APFO	3825-26-1
Sodium perfluorooctanoate	Na-PFO	335- 95-5
Potassium perfluorooctanoate	Ca-PFO	2395-00-8
Silver perfluorooctanoate	Ag-PFO	335-93-3
Perfluorooctanoyl fluoride	F-PFO	335-66-0
Methyl pentadecafluorooctanoate	Me-PFO	376-27-2
Ethyl perfluorooctanoate	Et-PFO	3108-24-5
Flourtelomers (precursors)		
4:2 fluorotelomer sulfonate	4:2 FTS	757124-72-4
6:2 fluorotelomer sulfonate	6:2 FTS	27619-97-2
8:2 fluorotelomer sulfonate	8:2 FTS	39108-34-4
1H,1H,2H,2H-Perfluorohexanol	4:2 FTOH	2043-47-2
1H,1H,2H,2H-Perfluoro-1-octanol	6:2 FTOH	647-42-7
1H,1H,2H,2H-Perfluoro-1-decanol	8:2 FTOH	678-39-7
1H,1H,2H,2H-Perfluorododecane-1-ol	10:2 FTOH	865-86-1
1H,1H,2H,2H-Perfluorooctylacrylat	6:2 FTA	17527-29-6
1H,1H,2H,2H-Perfluorodecylacrylat	8:2 FTA	27905-45-9
1H,1H,2H,2H-Perfluorododecylacrylat	10:2 FTA	17741-60-5
3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl methacrylate	6:2 FTMA	2144-53-8

Annex 11 - Legal status PFAS

PFAS substances, their salts and related substances	CAS	Abbr.	SVHC	REACH annex XVII	EU POP regulation	Stockholm Convention
Perfluorobutane sulfonate	375-73-5	PFBS	Yes			
Perfluorohexane sulfonate	355-46-4	PFHxS	Yes		Yes	Yes
Perfluorohexanoic acid	307-24-4	PFHxA (C6)		Yes		
Perfluoroheptanoic acid	375-85-9	PFHpA (C7)	Yes			
Perfluorooctane sulfonate	307-34-6	PFOS			Yes	Yes
Perfluorononanoic acid and its sodium ammonium salts,	375-95-1 21049-39-8, 4149-60-4	PFNA (C9)	Yes	Yes		Ongoing
Perfluorodecanoic acid its sodium and ammonium salts,	335-76-2 3108-42-7 3830-45-3	PFDA (C10)	Yes	Yes		Yes
Pentacosafuoro tridecanoic acid	72629-94-8	PFTrDA (C11)	Yes	Yes		Yes
Tricosafuoro dodecanoic acid	307-55-1	PFDoA (C12)	Yes	Yes		Yes
Henicosafuoro undecanoic acid	2058-94-8	PFUnA (C13)	Yes	Yes		Yes
Heptacosafuoro tetradecanoic acid	376-06-7	PFTA (C14)	Yes	Yes		Yes
PFAS, C15 - C21	Several					Yes
Perfluorooctane acid Ammonium pentadecafluoro octanoate	335-67-1 3825-26-1	PFOA APFO (C8)	Yes		Yes	Yes
2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	Several	HPFO-DA.	Yes			
reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	Several		Yes			

PFAS substances, their salts and related substances	CAS	Abbr.	SVHC	REACH annex XVII	EU POP regulation	Stockholm Convention
Broader PFAS regulation	Suggested to cover all compounds that include one or more perfluorinated moieties.			Ongoing		

Annex 12 - Regulated ortho - phthalate esters

Substance	Abbreviation	CAS RN	Legal status
Bis(2-ethylhexyl) phthalate	DEHP	117-81-7	SVHC and restricted
Dibutyl phthalate	DBP	84-74-2	SVHC and restricted
Benzyl butyl phthalate	BBP	85-68-7	SVHC and restricted
Diisononyl phthalate	DINP	28553-12-0 and 68515-48-0	Restricted
Diisodecyl phthalate	DIDP	26761-40-0 and 68515-49-1	SVHC
Di-n-octyl phthalate	DNOP	117-84-0	Restricted
Diisobutyl phthalate	DIBP	84-69-5	SVHC and restricted
1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	DIHP	71888-89-6	SVHC and restricted
1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	DHNUP	68515-42-4	SVHC
Bis(2-methoxyethyl) phthalate	DMEP	117-82-8	SVHC and restricted
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear		84777-06-0	SVHC
Diisopentyl phthalate	DIPP	605-50-5	SVHC and restricted
N-pentyl-isopentylphthalate	PIPP	776297-69-9	SVHC
Dipentyl phthalate	DPP	131-18-0	SVHC
Dihexyl phthalate	DnHP	84-75-3	SVHC and restricted
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear		68515-50-4	SVHC
1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters with $\geq 0.3\%$ of dihexyl phthalate (CAS 84-75-3)		68515-51-5	SVHC
1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq 0.3\%$ of dihexyl phthalate (CAS 84-75-3)		68648-93-1	SVHC
Dicyclohexyl phthalate	DCHP	84-61-7	SVHC
Diisoheptylphthalate	DIHXP	71850-09-4	SVHC
Diisooctyl phthalate	DIOP	27554-26-3	Not yet regulated

Annex 13 - Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE)

Substance	Abbreviation	CAS RN	Legal status
PBBs			
Polybrominated biphenyls	PBB	59536-65-1 (mix)	Restricted
Hexabromobiphenyl	HBB	36355-01-8	Restricted
PBDEs			
Pentabromodiphenyl ether	PentaBDE	32534-81-9, 60348-60-9	Restricted
Octabromodiphenyl ether	OctaBDE	32536-52-0	Restricted
Decabromodiphenyl ether	DecaBDE	1163-19-5	SVHC and restricted
Tetrabromodiphenyl ether	TetraBDE	5436-43-1	Restricted
Heptabromodiphenyl ether	HeptaBDE	207122-16-5, 446255-22-7	Restricted
Hexabromodiphenyl ether	HexaBDE	68631-49-2, 207122-15-4	Restricted

Annex 14 - Isocyanates

Substances	CAS RN	Legal status
2,2'-Methylenediphenyl diisocyanate (MDI)	2536-05-2	Restricted
2,4'-Methylenediphenyl diisocyanate (MDI)	5873-54-1	Restricted
4,4'-Methylenediphenyl diisocyanate (MDI)	101-68-8	Restricted
Methylenediphenyl diisocyanate (MDI)	26447-40-5	Restricted
2,4-Toluene diisocyanate (2,4 TDI)	584-84-9	Restricted
m-tolyldiene diisocyanate (TDI)	26471-62-5	Restricted
Hexane, 1,6-diisocyanato (HDI)	822-06-0	Restricted
Isophorone diisocyanate (IPDI)	4098-71-9	Restricted
Tetramethylxylene diisocyanate (TMXDI)	2778-42-9	Restricted
Benzene, 1,3-diisocyanato-2-methyl	91-08-7	Restricted

Assure strict and safe work environment measures in the process

Annex 15 – Nitrosamines

Substances	CAS RN	Legal status
Dimetylnitrosoamine	62-75-9	Sum total: <0,5 mg/kg
N-nitrosodiethylamine (NDEA)	55-18-5	
N-nitrosodipropylamine (NDPA)	621-64-7	
N-nitrosodibutylamine (NDBA)	924-16-3	
N-nitrosopiperidin (NPIP)	100-75-4	
N-nitrosopyrrolidin (NPYR)	930-55-2	
N-nitrosomorfolin (NMOR)	59-89-2	
N-nitroso N-methyl N-phenylamine (NMPHA)	614-00-6	
N-nitroso N-ethyl N-phenylamine (NEPHA)	612-64-6	

Annex 16 – Tin organic compounds (Organostannic compounds)

Substances	CAS RN	Legal status
Tributyltin oxide (TBTO)	56-35-9	SVCH Restricted
Dibutyltin dichloride (DBTC),	683-18-1	
2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE),	15571-58-1	
Reaction mass of DOTE and MOTE and Dibutylbis(pentane-2,4-dionato-O,O')tin,	22673-19-4	
dioctyltin dilaurate; stannane, dioctyl-, bis(coco acyloxy) derivs.	(799-973-9)	
Stannane, dioctyl-, bis(coco acyloxy) derivs.	91648-39-4	
Dioctyltin dilaurate	3648-18-8	

Annex 17 – Cobalt (Co) and its compounds

Recent adopted restrictions in EU/EEA 2022

Substances	CAS RN	Legal status
Cobalt Metal Powder	7440-48-4	Prop 65
Cobalt sulphate	10124-43-3	SVHC and restricted, Prop 65
Cobalt dinitrate	10141-05-6	SVHC and restricted
Cobalt di(acetate)	71-48-7	SVHC and restricted
Cobalt carbonate	513-79-1	SVHC and restricted
Cobalt dichloride	7646-79-9	SVHC and restricted

Annex XVII of Regulation (EC) No 1907/2006 (REACH) for cobalt salts.

Shall not be manufactured, placed on the market, or used as substances on their own or in mixtures in a concentration.

equal to or above 0.01% by weight (100 mg/kg), unless

safety measures have been taken to limit exposure of any of the cobalt salts to below 0.01% by weight (100 mg/kg) to demonstrate safe use and production.

Annex 18 - Boric acid, borate compounds

Overview of regulated boric acid, borate compounds

Substances	CAS RN (EC No)	Legal status
Boric acid;	10043-35-3 and 11113-50-1	SVHC
Disodium tetraborate anhydrous;	1303-96-4, 12179-04-3 and 1330-43-4	SVHC
Tetraboron disodium heptaoxid, hydrate;	12267-73-1	SVHC
Sodium perborate; perboric acid, sodium salt,	(234-390-0)	SVHC
Sodium peroxometaborate,	7632-04-04	SVHC
Disodium octaborate,	12008-41-2	SVHC
Orthoboric acid, sodium salt	13840-56-7	SVHC
Barium diboron tetraoxide	13701-59-2	SVHC

Annex 19 - Checklist for laboratories

Introduction

This routine is to ensure qualified chemical test protocols and test results by selected and by Nilson Group, approved accredited independent test laboratories in selected countries of concern.

If there are published EN or EN ISO or ISO methods available always use that method and clearly report in the test protocol

If other methods are used e.g. in-house test methods, always answer carefully each section below.

In case the applied EN, EN ISO or ISO method is modified by the test laboratory, always report these modified procedures in the test report.

All test reports should be signed by an authorised person at the laboratory.

Testing

For those chemical substances to be tested, where no official international standard test method exists, the test report should include the following:

Sample preparation

- amount of specimen for preparation, weight and size
- procedure of extraction, solvents used, and equipment used for extraction e.g. Soxhlet

Instrumental performance

- instrument used e.g GC-MS etc.
- lab specific detection limit(s) where preferably LOQ (limit of quantification) are reported
- standard deviation in analytical results

Other information of importance

- describe modified procedures from applied established ISO/EN standard methods if available.
- always present test results in mg/kg
- description of the recalculation from mg/kg if the test result is presented in another unit e.g ppm, ppb, ug/kg etc

Instruction to the laboratory

- always present the actual test result of the analysis and not any letter combinations if not properly described e.g N/A
- if not detected, report always below the actual LOQ (< LOQ) values